



SUNSEEKER 30 METRE YACHT

SUNSEEKER 30 METRE YACHT

PRINCIPAL CHARACTERISTICS – Provisional

Length overall – (incl. pulpit and platform)	30.2m	99'1"
Beam – (maximum)	6.85m	22'6"
Draft – (incl. props)	2.20m	7'3"
Generators	2 x 33kW @ 50Hz (Euro) 2 x 40kW @ 60Hz (US) up to 4868 PS (total)	
Engine options		
Fuel capacity – (@ 100% standard fuel capacity)	9500 litres	2510 US gal.
Fresh water capacity	2000 litres	528 US gal.
Grey water capacity	500 litres	132 US gal.
Black water capacity	500 litres	132 US gal.
Propulsion	Submerged props in semi-tunnels	
Fuel options	Diesel	
Maximum speed	up to 28 knots* (subject to engine option)	
Range at cruising speed	up to 500 nautical miles* (subject to engine option)	

All principal characteristics and specifications are provisional



SUNSEEKER 30 METRE YACHT

GENERAL CONSTRUCTION – PROVISIONAL

Built to Euro specification 220/380v 3 phase 50Hz

or

Built to USCG regulations and
specification 120/208v 3 phase 60Hz

Hull and deck

Gel coat including stripes

Vinyester skin coat with powder bound mat

Stitched multi-axial single skin hull bottom

Balsa/PVC Foam cored topsides – skinned with stitched multi-axials

PVC foam cored deck

Longitudinally stiffened with foam formers over-laminated with stitched multi-axials

Transversely stiffened with GRP ringframes, marine ply and sandwich bulkheads

Superstructure

Gel coat

PVC foam cored and skinned with stitched multi-axials

Stiffened with foam formers overlaminated with stitched multi-axials



SUNSEEKER 30 METRE YACHT

SPECIFICATION – PROVISIONAL

Flybridge

Direct access from the wheelhouse and from the aft cockpit
Stainless steel framed windscreen
Fibreglass radar arch
Lighting on underside of radar arch 24v
Low-level lighting 24v
Two pairs of marine speakers (connected to CD/radio in Wheelhouse)
Remote control for speakers
Deckwash outlet
Dining table with seating
Wet bar with sink
Fridge
Ice maker
Ceramic electric griddle
Storage cupboard
Rubbish bin
3 x bar stools
Stern rails
Ensign and staff
Flybridge helm
Bench seat
GRP dashboard
Electronic controls for main engines with single levers
Engine analogue instrumentation
Bow thruster control
Trim tab control
Depth and speed displays
Rudder angle indicator
Autopilot repeater
2 x radar/chartplotter/GPS with colour displays
Manual compass
VHF with DSC (dual station)
Remote keypad for CD/radio in wheelhouse

Deck equipment

Bulwark access doors on port and starboard sides
2 x anchor windlasses with hand control
2 x hawses with roller, chain stopper and devils claw
2 x anchors (galvanised, weight TBC)
2 x chain for anchors (galvanised, length TBC)
Stainless steel cleats
Fairleads bow and stern, port and starboard
Automatic anchor and chain salt water wash down
Fresh water deck wash with outlets forward and aft
Pulpit and handrails with stainless steel stanchions
Safety glass side windows and windscreen with stainless steel trims
Teak laid side decks
Low-level lighting around side decks 24v
Sunpad and seat at the bow
Remote control spotlight on the bow
Twin horn cluster located on wheelhouse roof

Raised wheelhouse

Main engines single lever electronic controls
Engine analogue instrumentation
High exhaust temperature warning
Engine stop warning
Trim tab control
Bow thruster control
2 x radar/chartplotter/GPS with colour displays
Autopilot
VHF with DSC
Depth and speed displays
Fuel level gauge
Fresh water level gauge
Rudder angle indicator
Monitoring of boat systems
Windscreen wipers with glass washing system
Demisting fans for windscreen
Searchlight control
Telephone points
AC sockets
Halogen overhead lighting 24v
Air conditioning
Adjustable pilot seat with electric movement control
Teak floor
Teak stairs leading to main deck
Teak stairs leading to flybridge
Framed sliding door to flybridge
Radio/CD player (with remote keypad at flybridge helm) with two speakers (connected to Flybridge speakers)

Aft cockpit, bathing platform and stern garage

Built-in aft seat moulding
Dining table with folding leaves
Teak laid cockpit sole
Teak stairs to flybridge
Teak stairs to bathing platform
Teak laid, hydraulic tilting bathing platform
Stainless steel framed sliding doors to main saloon
Side deck door and stairs leading to engine room and tender garage
Overhead lighting 24v
2 x marine speakers (connected to main saloon AV system)
Remote control for speakers
2 x capstans at the stern
4 x stainless steel cleats and fairleads at the stern
2 x stern gates
Hydraulic retractable passerelle
Power operated door for stern garage
Stern garage with storage for tender (optional, size restrictions apply)
Swimming ladder
Hand-held swimming shower
Locker with dockside water and deckwash in the stern
Locker with electrical shorepower connections, television and telephone connection
2 x pop-up cleats on bathing platform



SUNSEEKER 30 METRE YACHT

Main saloon

Aft sliding doors in stainless steel and safety glass
Sofas
Fitted carpet
Coffee table
Side windows with blinds
LCD flatscreen television (42")
Surround-sound system with DVD/CD/radio
Halogen overhead lighting 24v
Table lights
Air conditioning
Telephone point
AC sockets
Dining area
Dining table (for 8)
8 x dining chairs
Storage cabinets
Chinaware, glassware and cutlery (10 settings)
Side windows with blinds
Halogen overhead lighting 24v
Air conditioning
Fitted carpet
Sliding door to galley (manual)

Galley

Entrance from the dining area
Watertight side door leading to port side deck (manual)
Safety flooring
Granite work top with sink
Ceramic electric four-ring hob
Extractor fan
Electric oven
Microwave
Fridge
Freezer
Dishwasher (full-size)
Cabinets and overhead lockers
Side windows with blind
Halogen overhead lighting 24v
Air conditioning
AC sockets
Telephone point
Stairs forward leading to crew quarters

Main deck lobby

From dining area to day head
Stairs leading up to wheelhouse
Stairs leading down to lower deck guest accommodation
Watertight side door leading to starboard side deck (manual)
Halogen overhead lighting 24v
Side window with blind
AC socket
Fitted carpet
Storage cupboard
Day head
Tecma toilet (24v)
Washbasin and granite vanity top
Granite floor
Mirror
Complete set of accessories
Window with venetian blind
Halogen overhead lighting 24v
Extractor fan

Main deck stateroom

Double berth
Sprung mattress for berth
Bedside cabinets
Fitted carpet
Reading lights
Bedside cabinets
Safe deposit box
LCD flatscreen television (42")
Surround-sound system with DVD/CD/radio
Sofa
Windows with blinds
Dressing table
Low back chair for dressing table
Storage cabinets and drawers
Wardrobe
Halogen overhead lighting 24v
Air conditioning
Telephone point
AC sockets
Door to en suite and lobby



SUNSEEKER 30 METRE YACHT

Main deck stateroom en suite

Tecma toilet (24v)
Bidet
Lockers and shelves
2 x washbasins and granite vanity top
Granite flooring
Mirrors
Shower cubicle with door
Razor socket
Extractor fan
Halogen overhead lighting 24v
Complete set of accessories
Lower deck lobby
Stairs leading down from main deck to lower deck lobby area
Fitted carpet
Halogen overhead lighting 24v
AC socket
Access to technical area under staircase
Doors leading to guest cabins

Lower deck stateroom

Double berth
Sprung mattress for berth
Bedside cabinets
Reading lights
Sofa
LCD flatscreen television (42")
Surround-sound system with DVD/CD/radio
Portholes with blinds
Storage units
Dressing table
Low back chair for dressing table
Telephone point
AC sockets
Halogen overhead lighting 24v
Fitted carpet
Air conditioning
Door to en suite and walk-in wardrobe

Lower deck stateroom walk-in wardrobe

Hanging rails
Drawers for storage
Porthole with blind
Safe deposit box
Halogen overhead lighting 24v
Fitted carpet

Lower deck stateroom en suite

Tecma toilet (24v)
Bidet
Lockers and shelves
2 x washbasins and granite vanity top
Granite flooring
Mirrors
Shower cubicle with door
Razor socket
Extractor fan
Halogen overhead lighting 24v
Complete set of accessories
Porthole with blind

Port guest cabin

2 x single berths
Sprung mattresses for berths
Storage under berths
Bedside cabinet
Reading lights
Overhead halogen lighting 24v
LCD flatscreen television (20")
CD/DVD player with two speakers
Portholes with blind
Wardrobe
Telephone point
AC sockets
Fitted carpet
Air conditioning
Escape hatch
Door to en suite and lobby

Port en suite

Tecma toilet (24v)
Washbasin and granite vanity top
Lockers and shelves
Granite flooring
Mirrors
Shower cubicle with door
Porthole with blind
Razor socket
Halogen overhead lighting 24v
Extractor fan
Complete set of accessories



SUNSEEKER 30 METRE YACHT

Starboard guest cabin

2 x single berths
Sprung mattresses for berths
Storage under berths
Bedside cabinet
Reading lights
Overhead halogen lighting 24v
LCD flatscreen television (20")
CD/DVD player with two speakers
Portholes with blind
Wardrobe
Telephone point
AC sockets
Fitted carpet
Air conditioning
Escape hatch
Door to en suite and lobby

Starboard en suite

Tecma toilet (24v)
Washbasin and granite vanity top
Lockers and shelves
Granite flooring
Mirrors
Shower cubicle with door
Porthole with blind
Razor socket
Halogen overhead lighting 24v
Extractor fan
Complete set of accessories

Crew mess

Stairs leading from Galley
Dinette table with sofa
Cabinet and overhead lockers
LCD flatscreen television (20")
CD/DVD with two speakers
VHF with DSC
Depth and speed display
Fridge, microwave and sink
Telephone point
AC sockets
Washing machine
Tumble dryer
Porthole with blind
Halogen overhead lighting 24v
Safety flooring
Forward starboard crew cabin
2 x bunk berths
Foam mattresses for berths
Wardrobe
Reading lights 24v
Porthole with curtains
Halogen overhead lighting 24v
CD/Radio with two speakers
Fitted carpet
Air conditioning
AC socket
Telephone point

Starboard crew toilet room

Tecma toilet (24v)
Washbasin
Lockers and shelves
Extractor fan
Razor socket
Halogen overhead lighting 24v
Porthole with blind
Accessories

Forward port crew cabin

2 x bunk berths
Foam mattresses for berths
Wardrobe
Reading lights 24v
Porthole with curtains
Halogen overhead lighting 24v
CD/Radio with two speakers
Fitted carpet
Air conditioning
AC socket
Telephone point

Port crew shower room

Shower
Extractor fan
Halogen overhead lighting 24v
Towel rails



SUNSEEKER 30 METRE YACHT

Engine room

Hydraulic power steering
Hydraulic pump for bow thruster
Emergency steering
Oil exchange system for engines/gearboxes/generators
Intakes for air circulation with emergency shutdown
AC forced air extraction with automatic shutdown flaps
Temperature sensor on exhaust jackets
Engine room lighting
Engine room insulation
Fire alarm system
Engines control system panels
Fire extinguishing system
AC/DC electrical outlets
Systems and generator area
Centralized pump bench
Isolation transformer (limiting fluctuations in shorepower voltage to +/- 4%)
Power management system panel for protection and control of the AC electrical system
Telephone point
Steering hydraulic control unit
Trim tabs and garage door hydraulic control unit
Gangway hydraulic control unit
1 x water maker (234 litres/62 US gal. per hour)
Lighting

Generators

2 x 33kW @ 50Hz (Euro)
2 x 40kW @ 60Hz (US)
Water separating silencers
Power management system
Full manual back up operation of generators shore power selection and feeder sub board selection
Generator batteries 24v

Fuel system

Duplex fuel filters to main engines
Fuel filters to generators
Integral fuel tank with electric sender unit
Manual fuel shut-off valves
Bilge system
Automatic bilge pump in each watertight compartment 24v DC
1 x mechanical pump with bypass valves for suction of the bilges in each watertight compartment
1 x hand operated bilge pump with bypass valves for suction of the bilges in each watertight compartment

Fire extinguishing system

Fire alarm with central alarm in wheelhouse and sensors in all cabins, galley, saloon, wheelhouse, crew mess, engine room and garage FM 200 and CO2 with its own heat detection system, including engine and generator shut down air intake and extraction flaps shutdown
12 x portable fire extinguishers
1 x electric pump AC, to be fed via sea water strainer for fire fighting and chain washing
1 x hand operated pump, to be fed via sea water strainer for fire fighting and chain washing
Fire hydrant outlets forward and aft with fire hose and nozzle

Underwater gear

Bronze propellers
Bronze P-brackets
Stainless steel Temet propeller shafts
Dripless shaft logs, with spare seals
High performance bronze rudders
Bow thruster (hydraulic/engine driven)
Seawater strainers – 2 x main engines/2 x generators
Cathodic protection provided by cross bonded zinc anodes
Hydraulic trim tabs heavy duty

Electrical system

The electrical system of the boat is 3 phase
Isolation transformer (limiting fluctuations in shorepower voltage to +/- 4%)
1 x 3 phase dockside connection (100 amp)
Telephone and television dockside connection

Power management system

Circuit breakers
Remote battery Isolation switches
Group of batteries for the main engines and generators
Group of batteries for the 24v domestic loads
Group of batteries for the 24v console loads
Group of batteries for the 12v domestic and console loads
24v 95 amp chargers
12v 40 amp charger
Emergency battery cross connecting system
AC engine room fans
Engine room and bilge lights



SUNSEEKER 30 METRE YACHT

Sanitary system

Tecma toilet system (DC) turbine pump
discharging to black water tank
Black water tank with level indication at monitoring
panel
Manual tank overboard discharge
(DC discharge pump) or to dockside connection
Washbasins and showers draining to main grey
water tank
Air conditioning units draining to auxiliary grey water
tank
Grey water tank with pump out and tank full warning
light at monitoring panel

Hot water system

1 x AC bronze hot water circulating pump
Insulated 28mm dia. Acorn piping throughout to
reduce heat loss
Accumulator tank
2 x hot water cylinders, each fitted with 2 x 2kW
immersion heaters

Fresh water system

1 x AC fresh water pressure system
1 x 24v DC fresh water pressure system
Accumulator tank
28mm dia. Acorn piping throughout supplying all
outlets

Air conditioning system







Chilled water air conditioning system comprising:
Sea water pump and strainer
Chilled water pump
Condensing units in engine room
Air handlers supplying cold/hot air to each
accommodation cabin
Control unit in each cabin

Miscellaneous

1 x set of towels per person
10 x large fenders with ties
3 x 20m black docking lines
2 x 15m black docking lines
1 x 10m black docking line
2 x boat hooks
2 x life-rings
1 x regulation first aid kit
2 x fire blankets
Vacuum cleaner
Sunseeker boat mat
Mosquito screens for all openable portlights

US specification includes

Upgraded generators
US Coast Guard build regulations
US specification appliances





SUNSEEKER 30 METRE YACHT

Disclaimer

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2007.
©Sunseeker International.