


PREDATOR 82

STYLE: PERFORMANCE MOTORYACHT

ACCOMMODATION: UP TO 8 GUESTS AND 4 CREW MEMBERS

PERFORMANCE: UP TO 48 KNOTS

THE FASTEST IN THE LINE WHEN FITTED WITH THE TWIN ARNESON SURFACE DRIVES, THE 48-KNOT PREDATOR 82 OFFERS JUST THAT LITTLE BIT EXTRA. AND DESPITE ITS MID-RANGE SIZE IT PACKS PRETTY MUCH THE SAME ACCOMMODATION INTO ITS STILL SLEEK LINES, REDUCED ONLY IN PROPORTIONAL FLOOR SPACE RATHER THAN FACILITY OR FUNCTION. THAT MEANS THE FAMILIAR FULL BEAM MASTER AND VIP STATEROOMS, TWO TWIN BERTH CABINS, ONE WITH BUNKS, AND THE AFT CREW QUARTERS ACCESSED BY SEPARATE STAIRWAY AND INCORPORATING A GALLEY FULLY ABLE TO CATER FOR EXTENDED STAYS. AND THE GARAGE WITH ITS WATER TOYS ENSURES AN ONGOING VARIETY OF PLEASURES.



PRINCIPAL CHARACTERISTICS

Twin shaft drives

Length overall – (incl. pulpit)	24.97m	81'11"
Length waterline – (@ half load)	18.40m	60'4"
Beam – (maximum)	6.00m	19'8"
Height above waterline – (excl. mast)	5.35m	17'7"
Draft – (incl. props @ full load)	1.72m	5'8"
Displacement – (@ half load)	48300kg	106483lb
Fuel capacity	5900 litres	1298 GB gal. 1559 US gal.
Fresh-water capacity	1000 litres	220 GB gal. 264 US gal.
Propulsion	Twin FP props in semi-tunnels	
Engine options	up to 3650 PS (total)	
Fuel options	Diesel	
Generators	2 x 17kW @ 50Hz (Euro) 2 x 20kW @ 60Hz (US)	
Maximum speed	up to 35 knots*	
Cruising speed	up to 27 knots*	
Range	up to 320 nautical miles*	

Twin Arneson surface drives

Length overall – (incl. pulpit)	24.97m	81'11"
Length waterline – (@ half load)	18.30m	60'0"
Beam – (maximum)	6.00m	19'8"
Height above waterline – (excl. mast)	5.30m	17'5"
Draft – (incl. props)	1.38m	4'6"
Displacement – (@ half load)	51000kg	112436lb
Fuel capacity	5900 litres	1298 GB gal. 1559 US gal.
Fresh-water capacity	1000 litres	220 GB gal. 264 US gal.
Propulsion	Direct drive through Arneson surface drives	
Engine options	up to 4860 PS (total)	
Fuel options	Diesel	
Generators	2 x 17kW @ 50Hz (Euro) 2 x 20kW @ 60Hz (US)	
Maximum speed	up to 48 knots*	
Cruising speed	up to 30 knots*	
Range	up to 320 nautical miles*	

All principal characteristics and specifications are provisional.



PREDATOR 82

PRINCIPAL FEATURES

Garage for optional tender and jet-ski
 Fixed bathing platform
 Hot and cold swim shower
 Wetbar with ice maker, cool chest and sink with hot and cold water
 Ceramic griddle in cockpit
 Radar/chartplotter with GPS
 Autopilot
 Power-assisted steering
 Electronic speed log, depth sounder and VHF radio
 Trim tabs
 Hydraulic bow thruster (30hp)
 Hydraulic stern thruster (30hp)
 Flatscreen televisions in saloons and all guest cabins (excluding crew)
 Surround sound system for deck saloon and aft master stateroom
 Ceramic hob, microwave combination oven, refrigerator, freezer and slimline dishwasher
 Hot and cold water system
 Automatic fire extinguishing system for engine room
 Automatic bilge pumps
 Slow speed generators with underwater silent exhaust
 AC shore power/battery charger
 All cabin air-conditioning
 Remote control spotlight
 Electric winch with foredeck and console control
 Toilet system with holding tank
 Fresh-water marina connection
 Teak cockpit, bathing platform and steps
 Teak side decks
 Opening hardtop roof
 Crew quarters
 Antifouling

All items included in standard specification.

US specification includes:
 US Coast Guard build regulations
 US specification appliances

1. Deck saloon
2. Dining area in aft cockpit
3. The Predator 82 cruising
4. Master en suite
5. The Predator 82 at anchor
6. Master stateroom

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
 Gel coat including stripes
 Vinylester skin coat with powder bound mat
 Stitched multi-axial reinforced single skin bottom
 Balsa cored hull topsides
 PVC foam cored deck and superstructure
 Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings in stainless steel
 Pair of bow cleats and fairleads
 Three pairs of spring cleats and chafing bars
 Pair of stern cleats and fairleads
 Pulpit and cockpit rails
 Stainless steel fendering with rubber insert
 Curved safety glass windscreen with windscreen wipers and washers
 Stainless steel bow roller with anchor stop
 Stainless steel bow plate
 40kg anchor with 70m of 10mm chain (galvanised)
 Electric winch and capstan with foredeck and cockpit controls 24v
 2 x stern electric capstan winches
 Chain locker and fender stowage
 Fender tie bar under anchor locker lid
 3 x Pantograph windscreen wipers 24v and washers
 Fuel fillers port and starboard
 Fresh-water filler
 IMCO navigation lights
 Remote controlled spotlight
 Teak side decks
 Low-level courtesy lighting on side decks 24v
 Sunbathing pad
 Rope lockers
 Deck wash outlets forward and aft
 Ensign staff and socket

3 Bathing platform

Cockpit access steps on port and starboard side of garage
 Garage for optional tender and jet ski (subject to layout option)
 Fixed bathing platform
 Teak laid bathing platform and steps
 Hot and cold hand held swimming shower
 Fresh-water marina connection
 TV and telephone marina connection
 Fold-out stainless steel swimming ladder
 European specification only: Dockside connection AC 1 x 63 amp socket
 USA specification only: dockside connection AC 1 x 100 amp Glendinning Cablemaster
 European specification only: Hydraulic telescopic gangway

4 Aft cockpit

Self-draining
 Stern safety gates
 Upholstered seating around cockpit table
 Table with folding leaf
 Upholstered stern seat and sunbather
 Wetbar with ice maker, cool chest and sink with hot and cold water
 Ceramic griddle
 Teak cockpit floor
 Low-level courtesy lighting 24v
 Boat hook
 Sliding cockpit doors to deck saloon
 Engine room access hatch
 2 x stern capstan winches and fairleads
 Overhead lighting forward
 4 x marine speakers connected to CD/radio

Remote keypad for CD/radio
 Fire extinguisher

5 Covers

Windscreen cover

6 Deck saloon

Dining area with table
 Sofa seating group with coffee table
 Scatter cushions
 Flatscreen television (42")
 DVD/CD/radio surround-sound system
 iPod docking station connected to surround sound system
 CD/radio for aft cockpit
 Halogen overhead lighting 24v
 Low-level lighting
 Double AC sockets
 Air-conditioning
 Drinks cupboard with 8 place glassware set (8 x Champagne, 8 x whisky and 1 x decanter)
 8 place crockery set
 Large rotating sunroof
 Access stairs to crew quarters
 Teak flooring with black caulking
 Telephone point
 Stainless steel framed sliding patio doors with curtains and tiebacks

7 Lower deck lobby

Stairs leading from helm area
 Halogen overhead lighting
 Fitted carpet
 Step lights
 Doors leading to accommodation cabins and day head

8 Helm console

Electric helm seat
 Co-pilots seats
 Chart area
 Console with burr effect walnut fascia
 Power-assisted steering
 Wood rimmed steering wheel
 Single lever engine controls
 Radar/chartplotter with GPS (2 x displays)
 Autopilot
 Full analogue engine instrumentation
 Depth and speed displays
 Rudder angle or Arneson drive indicator (subject to drive option)
 Fresh-water gauge
 Fuel gauge
 VHF handset (dual station)
 Trim tab controls
 Waterproof plug and socket
 Compass (manual)
 Horn controls
 Windscreen wipers and washers control
 Hand-held fire extinguisher
 Foredeck winch control
 Remote spotlight control
 Breaker panels located below helm
 Main control panel (AC/DC) with generators control
 Side opening doors to side decks
 Telephone socket (port side)
 Double AC socket
 Staircase leading to lower deck accommodation



9 Forward VIP stateroom

Double berth with foam mattress
Storage beneath berth
Drawer in berth base end
Hanging wardrobe
Shelved cupboard
Halogen overhead lighting 24v
Bedside reading lighting 24v
Opening portholes with mosquito screen and curtains or blinds
Skylight
Double AC socket
Air-conditioning
LCD flatscreen television (26")
DVD/CD player with two speakers
2 x telephone points (1 x aft, 1 x forward)
Fitted carpet
Door to en suite

10 Forward VIP en suite

Tecma toilet 24v
Washbasin
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Air-conditioning outlet
Granite vanity top and flooring
Door to stateroom

11 Starboard guest cabin

2 x single berths with foam mattresses
Bedside unit
Under berth storage
2 x reading lights 24v
Wardrobe with mirrored door
Halogen overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC socket
Air-conditioning
LCD flatscreen television (19")
DVD/CD player with two speakers
Telephone point (bedside table)
Fitted carpet
Doors to en suite and lobby

12 Starboard en suite

Tecma toilet 24v
Washbasin
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead light 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Air-conditioning outlet
Granite vanity top and flooring
Door to starboard guest cabin

13 Port guest cabin

2 x single bunk berths
2 x reading lights 24v
Hanging wardrobe with mirrored door
Halogen overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC socket
Air-conditioning
LCD flatscreen television (19")
DVD/CD player with two speakers
Telephone point (bedside unit)
Door to en suite and lobby

14 Port en suite/day head

Tecma toilet 24v
Washbasin
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Air-conditioning outlet
Granite vanity top and flooring
Door to port guest cabin and lobby

15 Aft master stateroom

Double berth with foam mattress
Storage beneath berth and drawers in berth sides
Sofa
Flatscreen television (42")
DVD/CD/radio surround-sound system
Bedside table with drawer
2 x reading lights 24v
3 x large vertical portholes each side with blinds (centre opening with mosquito screen, outer ones fixed)
Dressing table with lift up vanity lid and low-back chair
Halogen overhead lighting 24v
Double AC sockets
Air-conditioning
Fitted carpet
2 x telephone points (dressing table and port side table)
Door to en suite and walk-in wardrobe

16 Aft master walk-in wardrobe

Hanging rails
Drawers
Shelves
Full-length mirror
Halogen overhead lighting 24v
Fitted carpet
Door to master stateroom

17 Master en suite

Tecma toilet 24v
2 x washbasins
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Air-conditioning outlet
Granite vanity top and flooring
Door to master stateroom

18 Galley/crew mess

4-ring ceramic hob with overhead extractor
Microwave/oven AC
Refrigerator and freezer (stacked) AC
Washer/dryer AC
Slimline dishwasher AC
Sink and drainer
Rubbish bin
Cupboard and drawer stowage
8 place cutlery set
Double AC sockets
Telephone point
Hand-held fire extinguisher
Opening porthole with mosquito screen
Air-conditioning
Fire blanket
First aid kit
Halogen overhead lighting 24v
24v and 12v DC electrical system with full circuit breaker protection
Safety flooring
VHF second station handset
CD/radio with two speakers
Crew mess with fold down table and two stools

19 Port crew cabin

2 x single bunk berths with foam mattresses
Reading lights 24v
Wardrobe
Halogen overhead lighting 24v
Opening porthole with mosquito screen and curtain
Air-conditioning
Double AC socket
Safety flooring

20 Starboard crew cabin (subject to layout)

2 x single bunk berths with foam mattresses
Reading lights 24v
Wardrobe
Halogen overhead lighting 24v
Opening porthole with mosquito screen and curtain
Air-conditioning
Double AC socket
Safety flooring

21 Crew toilet/shower

Tecma toilet 24v
Washbasin
Taps and accessories
Shaver socket 240/110v
Opening porthole with mosquito screen and Venetian blind
Shower

22 Engine compartment and ancillaries

Soundproofing throughout engine room
Separate fuel filters with water alarms
Fuel tank with electric sender unit
Automatic FM200 fire extinguisher with engine/generator and fan shutdown
Automatic bilge and flood pump
Manual bilge pump
Toilets discharging overboard or to black-water tank
24v hydraulic pump for trim tabs, gangway and garage door
Hydraulic power steering from engine driven pump

23 Electrical system

European specification only: 2 x 17kW @ 50Hz slow speed KOHLER generator with underwater silent exhaust and sound box
USA specification only: 2 x 20kW @ 60Hz slow speed KOHLER generator with underwater silent exhaust and sound box
European specification only: Dockside connection AC 1 x 63 amp socket
USA specification only: dockside connection AC 1 x 100 amp Glendinning Cablemaster
Galvanic isolator
24v and 12v DC electrical system with full circuit breaker protection
8 x engine batteries 24v circuit
4 x domestic batteries 24v circuit
4 x generator batteries 12v circuit
Alternator split charging system
Remote battery switches controlled from locker in cockpit
2 x 95 amp battery charger for 24v circuits
70 amp battery charger for 12v circuits
200 litre calorifier with 2 x 2kW immersion heaters
AC sockets throughout the boat
24v hand-held light and cable

24 Underwater gear

Seawater strainers – 2 x main engines/1 x generators
Seacocks on all underwater fittings
Full cathodic bonding system to zinc anodes
Hydraulic bow thruster (30 hp)
Hydraulic stern thruster (30 hp)
Hydraulic trim tabs 24v
Antifouling (white)

Twin shaft option:

V-drive through shafts in semi-tunnels
Stainless steel Temet propeller shafts
High performance bronze rudders and struts
Bronze P-brackets
Dripless shaft logs
Bronze propellers

Twin Arneson option:

Direct drive through Arneson surface drives (ASD15)
Bronze propellers

25 Systems

24v hydraulic pump for trim tabs, gangway and garage door
Hydraulic power steering from engine driven pump
Tecma toilets 24v with 1 switch control (incorporating tank level indication)
Toilets discharging overboard or to black-water tank
Black wastewater tank discharging to dockside or overboard through 24v macerator pump
Fresh-water tank with sending unit
24v fresh-water pressure system
200 litre calorifier with 2 x 2kW immersion heaters
Hot water circulating pump
Washbasins, showers, air-conditioning fan unit discharging to grey waste sump
Grey wastewater pump with overboard discharge (24V)
Chilled water air-conditioning system (reverse cycle)
Automatic bilge and flood pump in each watertight compartment

26 Miscellaneous

Boat hook
6 x mooring ropes
8 x fenders
Spare bulbs and fuses
8 x towel sets
Vacuum cleaner

US specification includes:

Upgraded generators
US Coast Guard build regulations
US specification appliances

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory, however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer.

Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker has referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

Naval architects

Don Shead/Sunseeker Design

Exterior styling

Sunseeker Design

Interior design

Sunseeker Design

Builder

Sunseeker International

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.