PREDATOR 84

STYLE: PERFORMANCE MOTORYACHT ACCOMMODATION: UP TO 8 GUESTS AND 3 CREW MEMBERS PERFORMANCE: UP TO 42 KNOTS

FOLLOWING ON FROM THE BIGGER SIBLING WITH THIS TIME AN OPTIONAL FLYBRIDGE AND DUAL HELM POSITION, THE PREDATOR 84, DUE TO LAUNCH IN AUTUMN 2008, BRINGS ADDITIONAL NEW TECHNOLOGIES AND DETAILING INTO THE LINE, DRAWING ON THE LEARNINGS OF THE EVER-EXTENDING SUNSEEKER YACHT FLEET. CONSIDERABLY LARGER BY WATERLINE LENGTH AND VOLUME THAN THE PREDATOR 82, THIS NEWCOMER IS SET TO TURN HEADS WITH AN IMPRESSIVE DESIGN SPEED OF 42 KNOTS WHEN FITTED WITH TOP ENGINE OPTION AND TWIN ARNESON SURFACE DRIVES.





62

Lower deck



Other layout options available

PRINCIPAL CHARACTERISTICS

TWIN SHAFT DRIVE VERSION					
Length overall – (incl. pulpit)	26.48m	86'10"			
Length waterline – (@ half load)	19.86m	65'2" 20'10"			
Beam – (maximum)	6.34m				
Height above waterline – (excl. mast)	5.24m	17'2"			
Draft – (incl. props @ full load)	1.70m	5'7"			
Displacement – (@ half load)	59700kg	131614lb			
Fuel capacity	7500 litres	1981 US gal.			
Fresh-water capacity	1200 litres	317 US gal.			
Propulsion	Twin FP props	Twin FP props in tunnels			
Engine options	up to 4868 P	up to 4868 PS (total)			
Fuel options	Diesel	Diesel			
Generators		2 x 23kW @ 50Hz (Euro) 2 x 28kW @ 60Hz (US)			
Maximum speed	up to 35 knot	up to 35 knots*			
Cruising speed	up to 30 knot	up to 30 knots*			
Range	up to 300 na	up to 300 nautical miles*			

TWIN ARNESON SURFACE DRIVE VERSION								
26.48m	86'10"							
19.86m	65'2"							
6.34m	20'10"							
5.20m	17'O"							
1.40m	4'7"							
64200kg	143440lb							
7500 litres	1981 US gal.							
1200 litres	317 US gal.							
Direct drive through Arneson surface drives								
up to 4868 PS (total)								
Diesel								
2 x 23kW @ 50Hz (Euro) 2 x 28kW @ 60Hz (US)								
up to 42 knots*								
up to 30 knots*								
up to 300 nauti								
	26.48m 19.86m 6.34m 5.20m 1.40m 64200kg 7500 litres 1200 litres Direct drive thro up to 4868 PS Diesel 2 x 23kW @ 50 2 x 28kW @ 60 up to 42 knots* up to 30 knots*							

All principal characteristics and specifications are provisional.

Main deck





PREDATOR 84

PRINCIPAL FEATURES – PROVISIONAL

Garage for optional tender and jet-ski Fixed bathing platform Hot and cold swim shower Wetbar with ice maker, cool chest and sink with hot and cold water Ceramic griddle in cockpit Radar/chartplotter with GPS Autopilot Power-assisted steering Electronic speed log, depth sounder and VHF radio Trim tabs Hydraulic bow thruster (30hp) Hydraulic stern thruster (30hp) Flatscreen TVs in all guest cabins (excluding crew) Surround sound system for deck saloon and aft master stateroom Ceramic hob, microwave combination oven, refrigerator, freezer and slimline dishwasher Hot and cold water system Automatic fire extinguishing system for engine room Automatic bilge pumps Slow speed generators with silent exhaust AC shore power/battery charger All cabin air-conditioning Remote control spotlight Electric winch with foredeck and console control Toilet system with holding tank Fresh water marina connection Teak cockpit, bathing platform and steps Teak side decks Opening hardtop roof Crew quarters Antifouling

All items included in standard specification.

US specification includes: US Coast Guard build regulations US specification appliances STANDARD SPECIFICATIONS - Provisional

1 Construction Hand-laid GRP Gel coat including stripes Vinylester skin coat with powder bound mat Stitched multi-axial reinforced single skin bottom Balsa cored hull topsides PVC foam cored deck and superstructure Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck Fittings all in 316 stainless steel and chromed bronze Pair stainless steel bow cleats and fairleads Stainless steel spring cleats with chafing bars Pair stainless steel stern cleats and fairleads Stainless steel pulpit and cockpit rails Stainless steel bow roller assembly Stainless steel bow plate Anchor 80kg claw-type (galvanised) Chain locker Anchor chain 100 metres/328 feet (12mm diameter galvanised) Automatic fresh-water chain wash Single electric windlass (Lewmar V8) 24v. starboard side, foredeck control only Single electric capstan (Lewmar C4) 24v. port side, foredeck control only Fresh-water deckwash with outlets forward and aft Storage lockers Curved direct glazed safety glass windscreen Pantograph windscreen wipers and washers Fuel filler on port and starboard sides Fresh-water filler IMCO navigation lights Remote controlled spotlight Low-level courtesy lights on side decks 24v Foredeck sunbathing pad Cup holders beside foredeck sunpad Built in U shaped seating area at foredeck Table for U shaped seating area at foredeck Skylight from VIP stateroom Teak laid sidedecks

3 Aft cockpit Teak laid self-draining cockpit floor Aft sunpad Built in seating area Inboard facing seating Teak table with folding leaves on GRP base Wetbar on starboard side with sink Refrigerator in wetbar Ice maker in wetbar Electric ceramic griddle AC in wetbar Stainless steel stern safety gates Engine room access hatch 2 x stern capstan winches (Lewmar C4) 24v and fairleads Overhead cockpit lights 24v Low-level courtesy lights 24v Pair marine speakers connected to deck saloon AV system with Bose PMCII remote Ensign staff and socket Battery switches in locker Fire extinguisher in locker Sliding patio doors leading to deck saloon

Twin air horns

4 Bathing platform and stern garage

Teak laid fixed platform Stairs to aft cockpit with teak treads Fold out stainless steel swimming ladder Hot and cold hand held swimming shower Fresh water marina connection Telephone marina connection Hydraulically opening garage door with access to stern garage Crane inside garage to launch and recover tender or jet ski Tender launch and recovery system Dockside AC connection 1 x 100 amp Glendinning Cablemaster European specification only: Hydraulic telescopic gangway

5 Optional flybridge deck

Stairs leading from aft cockpit Self-draining cockpit with non-slip deck finish Stainless steel aft safety rails Low-level flybridge lighting 24v Pair of marine speakers connected to dedicated CD/radio in deck saloon Deckwash outlet Radar arch structure

6 Optional flybridge helm

Helm seat Console Steering wheel Hydraulic power steering Engine throttle controls Engine stop start keys Bow & stern thruster control Remote keypad Depth & speed display (Simrad IS20) Autopilot (AP28) VHF radio handset (Simrad RS87) Manual compass Horn control

7 Boat covers Windscreen sunscreen

8 Deck saloon

Stainless steel framed sliding patio door to aft cockpit with curtains and tie back Sofa seating area Coffee table Two side tables in seating area LCD flatscreen TV on rise and fall (42") DVD/CD/radio surround sound entertainment system (Bose 28) iPod docking station connected to Bose system Air-conditioning Side windows with blinds Drinks cabinet with glassware storage for eight (8 x Champagne, 8 x whisky, 1 x decanter) Halogen overhead lighting 24v Double AC sockets Telephone point Table lamps Dining table Eight freestanding dining chairs Sensor connected to fire detection system Fitted carpet Sliding hardtop roof with skylights Side opening door to port side deck Side opening door to starboard side deck Staircase aft leading to crew quarters Staircase forward leading to accommodation area

9 Helm position

Three helm seats Chart stowage area Double AC sockets Telephone points x 2 Console with dash panels Hydraulic power steering Steering wheel Radar/chartplotter with GPS (2 x Furuno NaVNet vx2 displays) Autopilot (Simrad AP28) Depth and speed displays (Simrad IS20) VHF radio handset (Simrad RS82 dual-station) Manual compass Horn control Monitoring panel including generators control Monitoring panel for fire detection system Trim tab controls Rudder/drive indicator (subject to drive option) Analogue engine instrumentation Fuel gauges 12v socket Remote spotlight control Windscreen wipers with washers Air-conditioning Screen demister Fire extinguisher

10 Lower deck lobby

Staircase leading from deck saloon Halogen overhead lighting 24v AC socket Bilge access hatches Doors to guest cabins Fitted carpet Sensor connected to fire detection system Halogen overhead lighting 24v

11 Forward VIP stateroom

Double berth Foam mattress for berth Drawers in berth Bedside lights Dressing table Stool for dressing table Air-conditioning LCD flatscreen TV (42") DVD/CD player with two speakers Halogen overhead lighting 24v Fixed portlights with blinds Skylight with mosquito screen and blind Double AC sockets Telephone point x 2 (standard bedside and dressing table) Fitted carnet Sensor connected to fire detection system Doors to en suite, walk-in wardrobe and lobby

12 Forward VIP en suite

Tecma toilet 24v Vanity top and flooring Washbasin Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels) Hot and cold water Separate shower compartment Acrylic shower door Air-conditioning outlet Extractor fan Mirror Shelved cupboard Halogen overhead lighting 24v Opening porthole with mosquito screen and Venetian blind Shaver socket 240/110v Door to stateroom

13 Forward VIP walk-in wardrobe

Hanging rails Drawers Shelves Full-length mirror Halogen overhead lighting 24v Fitted carpet

14 Port guest cabin Two single berths Foam mattresses for berths

Stowage under berths Bedside lights Bedside unit with storage Wardrobe Air-conditioning Halogen overhead lighting 24v Opening porthole with mosquito screen and blind Double AC sockets LCD flatscreen TV (19") DVD/CD player with two speakers Telephone point (beside bedside unit) Fitted carpet Sensor connected to fire detection system Doors to en suite and lobby

15 Port guest en suite

Tecma toilet 24v Vanity top and flooring Washbasin Taps and accessories (toothbrush and glass holder. soap dispenser, towel rails and towels) Separate shower compartment Acrylic shower door Extractor fan Air-conditioning outlet Mirror Shelved cupboard Halogen overhead lighting 24v Opening porthole with mosquito screen and Venetian blind Shaver socket 240/110v Door to guest cabin

16 Starboard guest cabin

Two single berths Foam mattresses for berths Stowage under berths Bedside lights Bedside unit with storage Wardrobe Air-conditioning Halogen overhead lighting 24v Opening porthole with mosquito screen and blind Double AC sockets LCD flatscreen TV (19") DVD/CD player with two speakers Telephone point (beside bedside unit) Fitted carpet Sensor connected to fire detection system Doors to en suite and lobby

17 Starboard guest en suite/day head Tecma toilet 24v

Vanity top and flooring Washbasin Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels) Separate shower compartment Acrylic shower door Extractor fan Air-conditioning outlet Mirror Shelved cupboard Halogen overhead lighting 24v Opening porthole with mosquito screen and Venetian blind Shaver socket 240/110v Door to guest cabin and lobby 18 Master aft stateroom

Double berth

Foam mattress for berth Drawers in berth Bedside units with storage Bedside lights Dressing table Chair for dressing table Sofa Footstool Air-conditioning Halogen overhead lighting 24v Fixed and opening feature portholes (with mosquito screens) with blinds Double AC sockets Telephone points x 2 (dressing table and port bedside) LCD flatscreen TV (42") DVD/CD/radio entertainment system with two speakers and sub woofer (Bose 321) Fitted carpet Sensor connected to fire detection system Doors to en suite, walk in wardrobe and lobby

19 Master en suite

Tecma toilet 24v Vanity top and flooring Washbasin Hot and cold water Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels) Separate shower compartment Acrylic shower door Extractor fan Air-conditioning outlet Mirrors Halogen overhead lighting 24v Opening porthole with mosquito screen and Venetian blind Shaver socket 240/110v Door to stateroom

20 Master walk-in wardrobe

Hanging rails Drawers Shelves Full-length mirror Halogen overhead lighting 24v Fitted carpet Door to stateroom

21 Galley and crew mess

Stairs leading from deck saloon Safety flooring American style fridge, freezer with ice maker AC Four ring ceramic hob AC Hob extractor AC Slimline dishwasher AC Stainless steel sink Tap with hot and cold water Rubbish bin Chinaware with stowage (8 settings) Cutlery (8 settings) Storage consisting of cupboards, drawers and top-box lockers Seating area Opening portlight Halogen overhead lighting 24v Lighting under top box lockers Double AC sockets Telephone point Fire extinguisher Fire blanket First aid kit

Sensor connected to fire detection system Doors leading to crew cabins and crew toilet/shower European specification only: Microwave/oven AC USA specification only: oven AC USA specification only: small microwave AC

22 Port crew cabin

Single bunk berth Foam mattress for berth Air-conditioning Halogen overhead lighting 24v Double AC socket Washer/dryer AC Bedside light Opening porthole with mosquito screen and curtains Fitted carpet Sensor connected to fire detection system Door to galley/crew mess

23 Starboard crew cabin

Twin bunk berth Foam mattresses for berths Air-conditioning Halogen overhead lighting 24v Double AC socket Bedside lights Opening porthole with mosquito screen and curtains Fitted carpet Sensor connected to fire detection system CD/radio with two speakers Door to galley/crew mess

24 Crew toilet/shower

Tecma toilet 24v Washbasin Shower cubicle Mirror Vanity unit Halogen overhead lighting 24v Shaver socket 240/110v Door to galley/crew mess

25 Engine compartment and ancillaries

Soundproofing throughout Fuel filters/water separators to engines Fuel filters/water separators to generators FM200 manual/automatic fire extinguishing system combined with engines, generators and fans shutdown Automatic bilge and flood pumps with high level alarms Air extraction fans, AC Generator exhaust silencers and water separators Engine exhaust dry risers and water injection Strainers to all raw water inlets Sensor connected to fire detection system

26 Electrical system

European specification only: Slow speed Kohler generators 2 x 23kW @ 50Hz with underwater silent exhaust and sound box USA specification only: Slow speed Kohler generators 2 x 28kW @ 60Hz with underwater silent exhaust and sound box Dockside AC connection 1 x 100 amp Glendinning Cablemaster Galvanic isolator Semi-automatic AC power management system 24v and 12v DC electrical system with full circuit breaker protection 8 x engine batteries 24v circuit 8 x domestic batteries 12v circuit 4 x generator batteries 12v circuit

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propeliers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propelier pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in each territory. Actual specifications will be provided when a sales order or engury is placed with us or our approved Sunseeker date.

Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker international Limited or any subsidianties or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiaries or other related entity of this company nor are they their agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker International Limited to any closed and the set on the metaler entered to magnetize these and subsidiary or alter elevent of the samples herein Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Alternator split charging system Remote battery switches controlled from aft cockpit locker 2 x 95 amp battery charger for 24v circuits 40 amp battery charger for 12v circuits 2 x 2kW immersion heaters for calorifier AC sockets throughout the boat 24v hand light and cable Fire detection system with sensors in all cabins and monitoring beside main deck helm position

27 Underwater gear

NAB 5 blade propellers Bronze (MB2) P-brackets (shaft option) 90mm Temet 25 propeller shafts (shaft option) Self aligning shaft seal with spare seal (shaft option) High-performance bronze rudders (shaft option) Valves to all underwater skin fittings Full cathodic bonding system to zinc anodes Stainless steel trim tabs Hydraulic bow thruster (30hp, sequential operation) Hydraulic stern thruster (30hp, sequential operation) Antifouling

28 Systems

Hydraulic power steering (24v) Electric toilet system (Tecma 24v) with two-switch control Toilets discharging overboard or to black-water tank Black-water tank discharging to dockside or overboard through discharge/macerator pump (24v) Aluminium fresh-water tank with electric sending unit Integral GRP fuel tank with electric sending unit Water pressure system (24v) Hot water tank, 200 litre (calorifier with 2 x 2kW immersion heaters) Hot water circulating pump, AC Washbasins, showers and air-conditioning fan coils to drain to Grev-water tank Grev-water tank discharging overboard through discharge/ macerator pump (24v) Chilled water air-conditioning system (reverse cycle), AC Bilge pumping system (24v) FM200 manual/automatic fire extinguishing system combined with engines, generators and fans shutdown Auxiliary hydraulics for trim tabs and platform (24v)

29 Miscellaneous

Retractable boat book 6 x docking lines (6 x 15m, 20mm diameter, black) 1 x tender line (1 x 10m, 10mm diameter, black) 8 x fenders (F7, 15" x 41", white) 8 x fender ties (8 x 3.5m, 10mm diameter, black) Flagstaff with line Pennant mast with pennant flag Mosquito screens for openable portlights Vacuum cleaner Spare bulbs Small toolkit 12 x towel sets First aid kit Fire blanket Leather cleaning kit Lead lamp Deckwash fitting and hose reel Portable fire extinguishers

US specification includes

Upgraded generators US Coast Guard build regulations US specification appliances



Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

Naval architects Don Shead/Sunseeker Design

Exterior styling Sunseeker Design

Interior design Sunseeker Design

Builder Sunseeker International

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions that are not generative in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that are likely to be available in east territory, showere by contacting us we can advise you of models that are likely to be available in east territory. Actual specifications for models sold in different and sold in different and operated ealer. Specifications for models sold in different such guarantees and these or any time without prior notice. The individual specification for each vessel will be available in avertering the same of one contract or any representation and operated entities, and therefore Sunseeker dealer. Specifications for models sold in different such guarantees and obstructors are independently owned and operated entities, and therefore Sunseeker laternational Limited or any subsidiaries or other related entity of the some asympted performance or any representation and territory. Actual specifications is more asset, seeficiated or sort methades and therefore sunseeker international Limited or any subsidiaries or other related entity of the some asympted performance and therefore sunseeker international Limited or any subsidiari

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.