

SUPERHAWK 43

STYLE: HIGH PERFORMANCE

ACCOMMODATION: UP TO 2 GUESTS

PERFORMANCE: UP TO 48 KNOTS


WITH THE LOOKS OF AN EXTREME PERFORMANCE DAYBOAT, THE EXTERIOR OF THE SUPERHAWK 43 CONCEALS A SECRET: A FULL-ON SUNSEEKER INTERIOR WITH A LEVEL OF FINISH MIMICKING THE BIGGEST IN THE RANGE. THE SPACE IS OF COURSE LIMITED BY THE DIMENSIONS OF THE RACE-BRED HULL, BUT THE COMFORTS ARE THERE FROM A WRAPAROUND SALOON TO TRIM GALLEY AND DAY HEAD AND FORWARD DOUBLE BERTH, ALL FURNISHED TO HIGH STANDARDS AND ACCORDING TO PERSONAL SPECIFICATION. THAT'S QUITE SOMETHING IN AN AGILE SPEEDSTER THAT AT 48 KNOTS WILL MAKE CANNES TO CALVI IN A ZIP OVER 2 HOURS. SHORT OF IDEAS ON ARRIVAL? FLIP THE LID ON THE WETBAR AND SETTLE BACK IN THE PLUSH UPHOLSTERED COMFORT.




1. Saloon to forward berth area
2. The Superhawk 43
3. Aft sunloungers
4. Galley

PRINCIPAL CHARACTERISTICS

Length overall – (incl. pulpit)	13.49m	44'2"
Length hull – (incl. platform)	12.45m	41'0"
Length waterline – (@ half load)	9.97m	32'8"
Beam – (maximum)	3.63m	11'9"
Height above waterline – (incl. mast)	2.60m	8'5"
Height overall	3.18m	10'5"
Draft to keel – (excl. drives)	0.72m	2'4"
Draft – (incl. drives)	1.08m	3'6"
Displacement – (@ half load)	8515kg	18772lb
Fuel capacity	1000 litres	220 GB gal. 264 US gal.
Fresh-water capacity	200 litres	44 GB gal. 52 US gal.



Deck



Lower deck



2

Engine options	Stern Drive 2 x Volvo D6 (370 PS/260kW @ 3600 RPM) Surface Drive 2 x Yanmar 6LY3A (480 PS/360kW @ 3300 RPM)
Fuel	Diesel
Generators option	Panda 4500 SCB 3.8kW/4.5kva
Maximum speed	up to 42 – 48 knots (subject to engines fitted)*
Cruising speed	28 – 30 knots*
Range	275 nautical miles*

All principal characteristics and specifications are provisional.

PRINCIPAL FEATURES

Electric anchor winch with deck and cockpit controls

Full wetbar

Electronic speedlog

Depth sounder

VHF radio

Trim tabs

Radio/CD

Electric refrigerator

Automatic fire extinguishers

Automatic bilge pumps

AC shorepower/battery charger

Hot and cold water

Teak bathing platform

US specification includes:

Air-conditioning

US Coast Guard build regulations

US specification appliances

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
Gel coat including stripes
Isophthalic polyester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides and deck
Hull stiffened by shallow grillage supported by transverse bulkheads

2 Deck

Moulded non-slip finish
Delta anchor and 30m chain (galvanised)
Electric anchor winch with deck and cockpit controls
Stainless steel bow roller with anchor stop
Stainless steel bow plate
Self draining chain locker
6 stainless steel cleats
Integral teak bathing platform
Low bow rails and cockpit rails in stainless steel
Stainless steel fendering with rubber insert
Water and fuel fillers
2 stern eyes
Bow eye
IMCO navigation lights
Hot and cold swimming shower
Ensign socket and staff
4 fenders and two mooring warps

3 Cockpit

Self-draining
Curved stainless steel framed windscreen
Radar hoop
Wetbar with sink and refrigerator
Upholstered seating around table
Fold-out cockpit table
Storage under seating
Twin rear upholstered sunbathers
Storage lockers under sunbeds
Engine access below sunbather
Glass holders
Waterproof carpet
Overhead cockpit lights 12v
Sliding door to cabin
Dockside AC connection

4 Helm console

Double helm seat
Co-pilot seat
Contoured console with burr type walnut fascia
Wooden rimmed steering wheel
Full analogue engine instrumentation
4 lever controls
Helm indicator
Electronic speedlog
Depth sounder
Fuel gauge
Compass
Horn
VHF radio
Trim tab controls
Windscreen wiper
Fire extinguisher
Glass holders

5 Main cabin

Double berth forward
Deck hatch with mosquito screen
Upholstered saloon seating around folding table
Pullman berth above seating/berth
Stowage beneath seats and forward berth
Reading lights 12v
Halogen overhead lights 12v
Side windows and curtains
Radio/CD with speakers in cabin and cockpit
Main switch and circuit breaker panel (AC/DC)
Double AC socket
Choice of lacquered finishes
Fitted carpet
Scatter cushions

6 Galley area

Sink and drainer
Electric refrigerator
Single cooking hob
Crockery stowage
Cupboards and drawer stowage
Single AC socket
Hand-held fire extinguisher
First aid kit
Rubbish bin

7 Toilet/Shower room

Avonite counter top
Wash basin
Vacuum toilet
Hot and cold water and shower
Mirrored vanity unit and fittings
Extractor fan
Overhead lights 12v
Side window and curtain

8 Engine compartment and ancillaries

Twin or triple diesel stern drives
Sound insulation throughout engine room
Automatic fire extinguishers
Aluminium fuel tank with electric sending unit
Enclosed fuel tank area
Aluminium fresh-water tank with electric sending unit
1 x automatic bilge pump in engine compartment
1 x automatic bilge pump in accommodation space
Hand bilge pump
12v electrical systems
4 batteries (1 each engine, 2 domestic)
Double diode charging system
AC shorepower
Battery charger
Calorifier with immersion heater

US specification includes:

Air-conditioning
US Coast Guard build regulations
US specification appliances



*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer.

Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

Naval architects

Don Shead/Sunseeker Design

Exterior styling

Sunseeker Design

Interior design

Sunseeker Design

Builder

Sunseeker International

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.